EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	50441	(rewrit\$3 or re-writ \$3 or modifies or modify\$3) near5 (bytecode or byte- code or instruction or code or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/18 09:13
S2	5413	S1 and ((list or file or array) near5 (rewrit\$3 or re-writ \$3 or modifies or modify\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/18 09:13
S3	371	St and (((list or file or array) near5 (rewrit\$3 or re-writ\$3 or modifies or modifies or identifies or identifies or identifies or identifies or re-writ\$3 or modifies or re-writ\$3 or modifies))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/18 09:13
S4	13919	(rewrit\$3 or re-writ \$3) near5 (bytecode or byte- code or instruction or code or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/18 09:13
S5	1146	S4 and ((list or file or array) near5 (rewrit\$3 or re-writ \$3 or modifies or modify\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/18 09:13
S6	913	S4 and ((list or file or array) near5 (rewrit\$3 or re-writ \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/18 09:13

S 7	58	S4 and (((list or file or array) near5 (rewrit\$3 or re-writ\$3 or modifies or modify \$3)) with ((select \$3 or identify\$3 or identify\$3 or determin\$3) near5 (rewrit\$3 or modify \$3 or modifies)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OX	2008/04/18 09:13
S8	9	("5890176" "6061520" "6330709" "6349344" "6484188" "6658421" "66591307").FN. OR ("6978448"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/18 09:13
S9	1207	(rewrit\$3 or re-writ \$3 or modifies or modify\$3) near5 (bytecode or byte- code or (binary adj code) or (binary adj instruction) or (machine adj code) or (machine adj instruction) or (object adj code) or (object adj file) or (compiled adj program) or (execut\$3 adj instruction))	US-POPUB; USPAT; USOOR; EPC; JPO; DEFWENT; IBM_TDB	OR .	ON	2008/04/18
S10	285	(rewrit\$3 or re-writ \$3) near5 (bytecode or byte- code or (binary adj code) or (binary adj instruction) or (machine adj code) or (machine adj instruction) or (object adj code) or (object adj file) or (compiled adj program) or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OZ	2008/04/18 09:13

		(execut\$3 adj instruction))		***************************************		
S11	2038	(rewrit\$3 or re-writ \$3 or modifies or modify\$5 or transform\$3) near5 (bytecode or (binary adj code) or (binary adj code) or (machine adj code) or (machine adj code) or (object adj code) or (object adj file) or (compiled adj program) or (execut\$3 adj instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/18 09:13
S12	379	\$11 and ((identif \$4 or select\$3 or determin\$3) near5 (rewrit\$3 or re-writ\$3 or modify \$3 or modifies or transform\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR		2008/04/18 09:13
S13	125	S12 and ((list or file or array or table) near5 (re- writ\$3 or rewrit\$3 or modify\$3 or modifies or transform\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/18 09:13
S14	1	S3 and 717/114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/18 09:56
S15	10	S3 and (717/154, ccls. or 717/126, ccls. or 717/140, ccls. or 713/165, ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/18 09:58
S16	64	S3 and ("717"/\$. ccls. or "713"/\$. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/18 09:58

5/19/2008 11:33:30 AM

C:\ Documents and Settings\ pnguyen12\ My Documents\ EAST\ Workspaces\ 10789201. wsp